

Publications (Klaus Mummenhoff)

(2017-2018)

Sperber K, Steinbrecher T, Graeber K, Scherer G, Clausing S, Wiegand N, Hourston JE, Kurre R, Leubner-Metzger G, Mummenhoff K (2017) Fruit fracture biomechanics and the release of *Lepidium didymum* pericarp-imposed mechanical dormancy by fungi. **Nature Communications** 8: 1868, DOI10.1038/s41467-017-02051-9

Kermani SE, Lysak MA, Rahiminejad MR, Mirtadzadini M, Mummenhoff K, Al-Shehbaz IA (2017) A taxonomic revision of the genus *Graellsia* (Brassicaceae, tribe Thlaspidaceae). **Phytotaxa** 313:105–116, <https://doi.org/10.11646/phytotaxa31317>

Kermani SE, Lysak MA, Rahiminejad MR, Mirtadzadini M, Mummenhoff K, Al-Shehbaz IA (2017) A taxonomic revision of the genus *Pseudocamelina* (Brassicaceae, tribe Thlaspidaceae). **Phytotaxa** 313: 117–129, <https://doi.org/10.11646/phytotaxa31318>

Mohammadin S, Peterse K van de Kerke, SJ Chatrou LW, Dönmez AA, Mummenhoff K, Pires JC, Edger PP, Al-Shehbaz IA, Schranz ME (2017) Anatolian origins and diversification of *Aethionema*, the sister lineage of the core Brassicaceae. **American Journal of Botany** 104: 1042 – 1054, <https://doi.org/10.3732/ajb1700091>

Schrader J, Unsicker SB, Bhattacharya S, Mummenhoff K (2017) Growth form rather than phylogenetic relationship predicts broad volatile emission patterns in the Brassicaceae. **Plant Systematics and Evolution** 303: 653–662 DOI10.1007/s00606-017-1397-8

Franzke A, Sharif Samani B-R, Neuffer B, Mummenhoff K, Hurka, H (2017) Molecular evidence in *Diplotaxis* (Brassicaceae) suggests a Quaternary origin of the Cape Verdean flora. **Plant Systematics and Evolution** 303: 467-479 DOI10.1007/s00606-016-1384-5

Özüdoğru B, Al-Shehbaz IA, Mummenhoff K (2017) Tribal assignment of *Heldreichia* Boiss (Brassicaceae): Evidence from nuclear ITS and plastidic ndhF markers. **Plant Systematics and Evolution** 303: 329-335

(2015-2016)

Lenser T, et al, *Theißen G, *Mummenhoff K, *Leubner-Metzger G (2016) *Aethionema arabicum* as a model system for studying developmental control and plasticity of fruit and seed dimorphism. **Plant Physiology** 172: 1691–1707, * contributed equally to this work

Franzke A, Koch MA, Mummenhoff K (2016) Turnip time travels – Age estimates in Brassicaceae. **Trends in Plant Sciences** 21: 554-561

Özüdoğru B, Akaydın G, Erik S, Mummenhoff K (2016) Seed morphology of *Ricotia* L (Brassicaceae) and its phylogenetic and systematic implication. **Flora** 222: 60–67, DOI: 10.1016/j.flora.2016.03.013

Salariato DL, Zuloaga FO, Franzke A, Mummenhoff K, Al-Shehbaz IA (2016) Diversification patterns of the CES clade (Tribes Cremolobeae, Eudemeae, Schizopetaleae: Brassicaceae) along Andean South America. **Botanical Journal of the Linnean Society** 181: 543–566

Mandáková T, Winter P, Al-Shehbaz IA, Mucina L, Mummenhoff K, Lysak M (2015) Chromosome counts in the tribe Heliophileae (Brassicaceae). **Taxon** 64: 1073

Özüdođru B, Akaydın G, Erik S, Al-Shehbaz IA, Mummenhoff K (2015) Phylogenetic perspectives, diversification, and biogeographic implications of the eastern Mediterranean endemic genus *Ricotia* L (Brassicaceae). **Taxon** 64: 727–740

Nordmann J, Buczka S, Voss B, Haase M, Mummenhoff K (2015) In vivo analysis of the size- and time-dependent uptake of NaYF₄:Yb,Er upconversion nanocrystals by pumpkin seedlings. **J Mater Chem B** 3: 144-150

Ziffer-Berger J, Hanin N, Vogel T, Mummenhoff K, Barazani O (2015) Molecular phylogeny indicates polyphyly in *Raphanus* L (Brassicaceae). **Edinburgh Journal of Botany** 72: 1 – 11; doi:10.1017/S0960428614000286

(2013-2014)

Zozomová-Lihová J, Mandáková T, Kovaříková A, Mülhausen A, Mummenhoff K, Lysak M A, Kovařík, A (2014) When fathers are instant losers: homogenization of rDNA loci in recently formed *Cardamine*×*schulzii* trigenomic allopolyploid. **New Phytologist** 203: 1096-1108 doi:10.1111/nph12873

Graeber K, Linkies A, Steinbrecher T, Mummenhoff K, Tarkowská D, Turečková V, Ignatz M, Sperber K, Voegelé A, de Jong H, Urbanová T, Strnad M, Leubner-Metzger G (2014) DELAY OF GERMINATION 1 mediates a conserved coat dormancy mechanism for the temperature- and gibberellin-dependent control of seed germination. **Proceedings of the National Academy of Science of the USA** 111: E3571–E3580

Firat M, Özüdođru B, Tarıkaya-Hacıođlu B, Savas Bülbül A, Al-Shehbaz IA, Mummenhoff, K (2014) Phylogenetic position and taxonomic assignment of *Thlaspi aghricum* PHDavis & KTan (Brassicaceae). **Phytotaxa** 178: 287–297

Edger PP, Tang M, Bird KA, Mayfield DR, Conant G, Mummenhoff K, Koch MA, and Pires JC (2014) Secondary structure analyses of the nuclear rRNA internal transcribed spacers and assessment of its phylogenetic utility across the Brassicaceae (Mustards). **PLoS one** 9 (7): e101341

Al-Shehbaz, IA, German, DA, Mummenhoff, K, Moazzeni, H (2014) Systematics, tribal placement, and synopses of the *Malcolmia* s.l. segregates (Brassicaceae). **Harvard Papers in Botany** 19: 53–71

Moazzeni H, Zarre S, Pfeil BE, Bertrand, Y, German DA, Al-Shehbaz IA, Mummenhoff K, Oxelman B (2014) Phylogenetic perspectives on diversification and character evolution in the species-rich genus *Erysimum* (*Erysimeae*; Brassicaceae) based on a densely sampled ITS approach. **Botanical Journal of the Linnean Society** 175: 497–522

Kiefer M, Schmickl R, German D, Lysak M, Al-Shehbaz IA, Franzke A, Mummenhoff K, Stamatakis A, Koch MA (2013) *BrassiBase*: Introduction to a novel knowledge database on Brassicaceae evolution. **Plant Cell and Physiology** 55: e3(1–9)

Mandáková T, Kovařík A, Zozomová-Lihová J, Shimizu-Inatsugi R, Shimizu KK, Mummenhoff K, Marhold K, Lysak MA (2013) The more the merrier: recent hybridization and polyploidy in *Cardamine*. **Plant Cell** 25: 3280-95 doi: 10.1105/tpc113114405

Mühlhausen A, Lenser T, Mummenhoff K, Theißen G (2013) Evidence that an evolutionary transition from dehiscent to indehiscent fruits in *Lepidium* (Brassicaceae) was caused by a change in the control of valve margin identity genes. **Plant Journal** 75: 824–835 doi: 101111/tpj12079

Graeber K, Büttner-Mainik A, Sperber K, Mummenhoff K, Leubner-Metzger G (2013) Spatio-temporal seed development analysis provide insight into primary dormancy induction and evolution of the *Lepidium* DELAY OF GERMINATION 1 genes. **Plant Physiology** 161: 1903-1917

(2010-2012)

Koch, MA, Kiefer, M, German, D A, Al-Shehbaz, IA, Franzke, A, Mummenhoff, K, Schmickl, R (2012) *BrassiBase*: Tools and biological resources to study characters and traits in the Brassicaceae – version 11. **Taxon** 61: 1001-1009

Mandakova T, Mummenhoff K, Al-Shehbaz IA, Mucina L, Mühlhausen A, Lysak M (2012) Whole-genome triplication and species radiation in the southern African tribe Heliophileae (Brassicaceae). **Taxon** 61 989–1000

Busch A, Horn S, Mühlhausen A, Mummenhoff K, Zachgo S (2012) Corolla monosymmetry, the evolution of a morphological novelty in the Brassicaceae family. **Molecular Biology and Evolution** 29: 1241-54; doi:101093/molbev/msr297

Geeta R, Dávalos LM, Levy A, Bohs Lavin M, Mummenhoff K, Sinha N, Wojciechowski MF (2012) Keeping it simple: Flowering plants tend to retain, and revert to, simple leaves. **New Phytologist** 193: 481–493

Franzke A, Koch MA, Couvreur TLP, Lysak MA, Mummenhof, K (2011) On the age of the mustard family (Brassicaceae).

<http://www.nature.com/nature/journal/v467/n7317/full/467755dhtml>

Al-Shehbaz IA, Mummenhoff K (2011) *Stubendorffia* and *Winklera* belong to the expanded *Lepidium* (Brassicaceae). **Edinburgh Journal of Botany** 68: 165–171

Warren BH, Bakker F, T, Bellstedt DU, Bytebier BR, Claßen-Bockhoff R, Dreyer LL, Edwards D, Forest F, Galley C, Hardy CR, Linder HP, Muasya AM, Mummenhoff K, Oberlander KC, Quint M, Richardson JE, Savolainen V, van der Niet T, Verboom GA, Yesson C, Hawkins JA (2011) Consistent phenological shifts in the making of a biodiversity hotspot: the Cape flora. **BMC Evolutionary Biology** 11: 39; doi:101186/1471-2148-11-39

Franzke A, Lysak MA, Al-Shehbaz IA, Koch MA, Mummenhoff K (2011) Cabbage family affairs: The evolutionary history of Brassicaceae. **Trends Plant Science** 16: 108-116

Couvreur T, Franzke A, Al-Shehbaz IA, Bakker FT, Koch MA, Mummenhoff K (2010) Molecular Phylogenetics, temporal diversification, and principles of evolution in the mustard family (Brassicaceae). **Molecular Biology and Evolution** 27: 55-71

Moazzeni, H, Zarre, S, Al-Shehbaz, IA, Mummenhoff, K (2010) Phylogeny of Iranian *Isatis* (Brassicaceae) and allied genera based on ITS sequences of nuclear ribosomal DNA and morphological characters. **Flora** 205: 337–343

Parolly, G, Nordt, B, Bleeker, W, Mummehoff, K 2010 *Heldreichia* Boiss (Brassicaceae) revisited – a morphological and molecular study **Taxon**. 59: 187-202

Warwick, SI, Mummenhoff, K, Sauder, CA, Koch, MA, Al-Shehbaz, IA (2010) Closing the gaps: phylogenetic relationships in the Brassicaceae based on DNA sequence data of nuclear ribosomal ITS region. **Plant Systematics and Evolution** DOI 10.1007/s00606-010-0271-8

Mühlhausen A, Polster A, Theißen G, Mummenhoff K (2010) Evolution of fruit dehiscence in Brassicaceae – Examples from *Aethionema* and *Lepidium* In: Hansen M (ed) **Proceedings of the Vth International Symposium on Brassicas & XVIth Crucifer Genetics Workshop**, Lillehammer Acta Horticulturae Vol 867, International Society for Horticultural Science, Leuven, pp 207-219

Mandakova T, Joly S, Krzywinski M, Mummenhoff K, Lysak MA (2010) Fast diploidization in close mesopolyploid relatives of *Arabidopsis*. **Plant Cell** 22: 2277–2290

Hasan A, Mummenhoff K, Quiros C, Tay C, Bailey D (2010) Polymorphic chloroplast microsatellite markers in the octoploid *Lepidium meyenii* (Brassicaceae) and cross-species amplification in *Lepidium*. **American Journal of Botany**: e85–e88

(2008-2009)

Franzke A, German D, Al-Shehbaz IA, Mummenhoff K (2009) *Arabidopsis* family ties: Molecular phylogeny and age estimates in the Brassicaceae. **Taxon** 58: 425-437

Verboom GA, Archibald JK, Bakker FT, Bellstedt DU, Conrad F, Dreyer LL, Forest F, Galley C, Goldblatt P, Henning, JF, Mummenhoff K, Linder HP, Muasya AM, Oberlander KC, Savolainen V, Snijman DA, Niet TV, Nowell, TL (2009) Origin and diversification of the Greater Cape flora: Ancient species repository, hot-bed of recent radiation, or both? **Molecular Biology and Evolution** 51: 44-53: doi:10.1016/jympev200801037

Khosravi AR, Mohsenzadeh S, Menke M, Mummenhoff K (2009) A new phylogenetic position and taxonomic classification for *Aethionema trinervium* (DC) Boiss (Brassicaceae): a morphologically variable subshrub from southwestern Asia. **Annals of the Missouri Botanical Garden** 96: 564–574

Khosravi AR, Mohsenzadeh S, Mummenhoff K (2009) Phylogenetic relationships of Old World Brassicaceae from Iran based on nuclear ribosomal DNA sequences. **Biochemical Systematics and Ecology** 37: 106–115

Hischemöller A, Nordmann J, Ptacek P, Mummenhoff K, Haase M (2009) In-vivo imaging of the uptake of upconversion nanoparticles by living plants. **Journal of Biomedical Nanotechnology** 5: 1–7

Mummenhoff K, Polster A, Mühlhausen A, Theißen G (2009) *Lepidium* as a model system for studying the evolution of fruit development in Brassicaceae. **Journal of Experimental Botany** 60: 1503-1513; doi:10.1093/jxb/ern304

Dierschke T, Mandáková T, Lysak M, Mummenhoff K (2009) A bicontinental origin of polyploid Australian/New Zealand *Lepidium* species (Brassicaceae): evidence from genomic in situ hybridization (GISH). **Annals of Botany** 104: 681-688

Khosravi AR, Mohsenzadeh S, Mummenhoff K (2008) Phylogenetic position of *Brossardia papyracea* (Brassicaceae) based on sequences of nuclear ribosomal DNA. **Feddes Rep** 119: 13-23

Khosravi AR, Mohsenzadeh S, Mummenhoff K (2008) Analysis of the phylogenetic position of *Acanthocardium erinaceum* (Brassicaceae) based on ITS-sequences shows that it should

be transferred to *Aethionema* as *A. erinaceum* (Boiss) Khosravi & Mummenhoff. **Nordic Journal of Botany** 26: 25-30; doi: 10.1111/j.2008.0107-055X.00205x

Mummenhoff K, Theißen G, Mühlhausen A (2008) Tutti Frutti in *Lepidium* — Comparative analysis of fruit dehiscence/indehiscence in Brassicaceae. **South African Journal of Botany** 74: 373-374

(2006-2007)

Ehrich D, Gaudeul M, Assefa A, Koch M, Mummenhoff K, Nemomissa S, INTRABIODIV Consortium, Brochmann C (2007) Genetic consequences of Pleistocene range shifts: Contrast between the Arctic, the Alps and the East African mountains. **Molecular Ecology** 16: 2542–2559

Mummenhoff K, Franzke A (2007) Gone with the bird, Late Tertiary and Quaternary intercontinental long-distance dispersal and allopolyploidization in plants. **Systematics and Biodiversity** 5: 255–260

Moazzeni H, Zarre S, Al-Shehbaz IA, Mummenhoff K (2007) Seed-coat microsculpturing and its systematic application in *Isatis* (Brassicaceae) and allied genera in Iran. **Flora** 202: 447–454

Koch M, Kiefer C, Ehrich D, Vogel J, Brochmann C, Mummenhoff K (2006) Three times out of Asia Minor: the phylogeography of *Arabis alpina* L (Brassicaceae). **Molecular Ecology** 15: 825-839

Koch MA, Mummenhoff K (2006) Editorial, Evolution and phylogeny of the Brassicaceae, in: Koch, M A, Mummenhoff, K (Eds) Evolution and Phylogeny of the Brassicaceae. **Plant Systematics and Evolution** Special Vol 259, pp 1-83

Koch MA, Mummenhoff K, eds, (2006) Evolution and Phylogeny of the Brassicaceae **Plant Systematics and Evolution** Special Vol 259, pp 81-258

Mummenhoff K, Linder P, Friesen N, Bowman JL, Franzke A (2006) African species of *Lepidium* (Brassicaceae) contributed via hybridization to the origin of Australian / New Zealand species, in: Ghanzanfar SA, Beentje H (Eds) Taxonomy and ecology of African plants, their conservation and sustainable use Royal Botanic Gardens, Kew, pp 291-308

Bailey, CD, Koch MA, Maye, M, Mummenhoff K, O’Kane Jr SL, Warwick SI, Windham M D, Al-Shehbaz IA (2006) Towards a global nrDNA ITS phylogeny of the Brassicaceae. **Molecular Biology and Evolution** 23: 2142-2160

(2004-2005)

Al-Shehbaz IA, Mummenhoff K (2005) Transfer of the South African genera *Brachycarpea*, *Cycloptychis*, *Schlechteria*, *Silicularia*, and *Thlaspeocarpa* to *Heliophila* (Brassicaceae). **Novon** 15: 385-389

Mummenhoff K, Al-Shehbaz IA, Linder P, Bakker F, Mühlhausen A (2005) Phylogeny, morphological evolution, and speciation of endemic Brassicaceae genera in the Cape flora, southern Africa. **Annals of the Missouri Botanical Garden** 92: 400-424

Mummenhoff K, Bowman JL, Linder P, Friesen N, Franzke A (2004) Molecular evidence for bicontinental hybridogenous genomic constitution in *Lepidium* sensu stricto (Brassicaceae) species from Australia and New Zealand. **American Journal of Botany** 91: 252-259

Warwick SI, Al-Shehbaz IA, Sauder CA, Murray DF, Mummenhoff K (2004) Phylogeny of *Smelowskia* and related genera (Brassicaceae) based on nuclear ITS DNA and chloroplast trnL intron DNA sequence. **Annals of the Missouri Botanical Garden** 91: 99-123

Franzke A, Hurka H, Janssen D, Neuffer B, Friesen N, Markov M, Mummenhoff K (2004) Molecular signals for late Tertiary/Early Quaternary range splits of an Eurasian steppe plant: *Clausia aprica* (Brassicaceae). **Molecular Ecology** 13: 2789-2795

(2000-2003)

Koch M, Al-Shehbaz IA, Mummenhoff K (2003) Molecular systematics, evolution and population biology of the mustard family Brassicaceae. **Annals of the Missouri Botanical Garden** 90: 151-171

Al-Shehbaz IA, Mummenhoff K, Appel O (2002) *Cardaria*, *Coronopus*, and *Stroganowia* are united with *Lepidium* (Brassicaceae). **Novon** 12: 5-11

Lee J-Y, Mummenhoff K, Bowman JL (2002) Allopolyploidizations and evolution of species with reduced floral structures in *Lepidium* L (Brassicaceae). **Proceedings of the National Academy of Science of the USA** 99: 16835-16840

Koch M, Al-Shehbaz IA, Mummenhoff K (2002) Molecular systematics, evolution and population biology of the mustard family Brassicaceae. **Annals of the Missouri Botanical Garden** 90: 151-171

Eschmann-Grupe G, Neuffer B, Paetsch M, Mummenhoff K, Hurka H (2001) Speciation, breeding system and genetic variation in colonising *Diplotaxis* species. In: Kowarik, I, Starfinger, U (Hrsg) Biological Invasions in Germany – a challenge to act. BfN-Skripten 32: 71-72

Koch M, Mummenhoff K (2001) *Thlaspi* sstr (Brassicaceae) versus *Thlaspi* sl: morphological and anatomical characters in the light of ITS nrDNA sequence data. **Plant Systematics and Evolution** 227: 209-225

Mummenhoff K, Coja U, Brüggemann H (2001) *Pachyphragma* (Brassicaceae) revisited: molecular data indicate close relationship to *Thlaspi* s.str. **Folia Geobotanica** 36: 293-302

Mummenhoff K, Brüggemann H, Bowman J (2001) Chloroplast DNA phylogeny and biogeography of *Lepidium* (Brassicaceae). **American Journal of Botany** 88: 2051-2063

(1995-1999)

Franzke A, Mummenhoff K (1999) Recent hybrid speciation in *Cardamine* (Brassicaceae) Conversion of nuclear ribosomal ITS sequences in statu nascendi. **Theoretical and Applied Genetics** 98: 831-834

Koch M, Mummenhoff K, Hurka H (1999): Molecular phylogenetics of *Cochlearia* L and allied genera based on nuclear ribosomal ITS DNA sequence analysis contradict traditional concepts of evolutionary relationships. **Plant Systematics and Evolution** 216: 207-230

Zunk K, Mummenhoff K, Hurka H (1999) Phylogenetic relationships in tribe Lepidieae (Brassicaceae) based on chloroplast DNA restriction site variation. **Canadian Journal of Botany** 77: 1504-1512

Bowman J, Brüggemann H, Lee J-Y, Mummenhoff K (1999) Evolutionary changes in floral architecture within the genus *Lepidium* (Brassicaceae). **International Journal of Plant Science** 160: 917-929

Koch M, Hurka H, Mummenhoff K (1998) Molecular biogeography and evolution of the *Microthlaspi perfoliatum* s.l. polyploid complex (Brassicaceae): chloroplast DNA and nuclear ribosomal DNA restriction site variation. **Canadian Journal of Botany** 76: 382-396

Urbanska K, Hurka H, Landolt E, Neuffer B, Mummenhoff K (1997) Hybridization and evolution in *Cardamine* (Brassicaceae) at Urnerboden, Central Switzerland: biosystematic and molecular evidence. **Plant Systematics and Evolution** 204: 233-256

Mummenhoff K, Franzke A, Koch M (1997) Molecular phylogenetics of *Thlaspi* (Brassicaceae) based on chloroplast DNA restriction site variation and sequences of the internal transcribed spacers of nuclear ribosomal DNA. **Canadian Journal of Botany** 75: 469-482

Mummenhoff K, Franzke A, Koch M (1997) Molecular data reveal convergence in fruit characters used in the classification of *Thlaspi* s.l. (Brassicaceae). **Botanical Journal of the Linnean Society** 125: 183-199

Zunk K, Mummenhoff K, Koch M, Hurka H (1996) Phylogenetic relationships of *Thlaspi* s.l. (subtribe Thlaspidinae, Lepidieae) and allied genera based on chloroplast DNA restriction site variation. **Theoretical and Applied Genetics** 92: 375-381

Koch M, Hurka H, Mummenhoff K (1996) Chloroplast DNA restriction site variation and RAPD-analyses in *Cochlearia* (Brassicaceae): Biosystematics and speciation. **Nordic Journal of Botany** 16: 585-603

Mummenhoff K (1995) Should *Cardaria* (L.) Desv be classified within the genus *Lepidium* L. (Brassicaceae)? Evidence from subunit polypeptide composition of Rubisco **Feddes Repertorium** 106: 25-28

Mummenhoff K, Kuhnt E, Koch M, Zunk K (1995) Systematic implications of chloroplast DNA variation in *Lepidium* sections *Cardamon*, *Lepiocardamon* and *Lepia* (Brassicaceae). **Plant Systematics and Evolution** 196: 75-88

Mummenhoff K, Hurka H (1995) Allopolyploid origin of *Arabidopsis suecica* (Fries) Norrlin: Evidence from chloroplast and nuclear genome markers. **Botanica Acta** 108: 449-456

(1986-1994)

Mummenhoff K (1994) Subunit polypeptide composition of Rubisco as a taxonomic tool in separating critical *Lepidium* species. **Phytochemistry** 35: 683-684

Mummenhoff K, Jentzsch M (1994) Isoelectric focusing analysis of Rubisco in the genus *Erysimum* L. **Eucarpia Cruciferae Newsletter** 16: 16-17

Mummenhoff K, Hurka H (1994) Subunit polypeptide composition of Rubisco and the origin of allopolyploid *Arabidopsis suecica* (Brassicaceae). **Biochememical Systematics and Ecology** 22: 807-812

Mummenhoff K, Koch M (1994) Chloroplast DNA restriction site variation and phylogenetic relationships in the genus *Thlaspi* sensu lato (Brassicaceae). **Systematic Botany** 19: 73-88

Koch M, Mummenhoff K, Zunk K (1993) Isoelektrische Fokussierung der Untereinheiten der Rubisco in *Thlaspi* (Brassicaceae): Weitere Hinweise auf eine Formengattung. **Feddes Repertorium** 104: 371-381

Koch M, Plantholt, U, Zunk K, Mummenhoff K, Hurka H (1993) Chloroplasten-DNA als Marker zur Sippendifferenzierung *In* K-G Bernhardt, H Hurka & P Poschlod (Hrsg), *Biologie*

semiaquatischer Lebensräume - Aspekte der Populationsbiologie, 85-100 Verlag Natur und Wissenschaften, Solingen

Mummenhoff K, Eschmann-Grupe G, Zunk K (1993): Subunit polypeptide composition of Rubisco indicates *Diplotaxis viminea* as maternal parent species of amphiploid *Diplotaxis muralis*. **Phytochemistry** 34: 429-431

Zunk K, Mummenhoff K, Hurka H (1993) Chloroplast DNA restriction site variation in the Brassicaceae tribe Lepidieae. **Plant Molecular Evolution Newsletter** 3: 40-44

Hurka H, Mummenhoff K, Schoppmann C (1992) Chromosome numbers in the genus *Lepidium* (Brassicaceae). **IOPB Newsletter** 18/19: 8-9

Mummenhoff K, Hurka H, Bandelt H-J (1992) Systematics of Australian *Lepidium* species (Brassicaceae) and implications for their origin: evidence from IEF analysis of Rubisco. **Plant Systematics and Evolution** 183: 99-112

Mummenhoff K, Hurka H (1991) IEF analysis of Rubisco in *Lepidium* (Brassicaceae), sections *Lepia*, *Lepiocardamon* and *Cardamon*. **Biochemecal Systematics and Ecology** 19: 47-52

Mummenhoff K, Zunk K (1991) Should *Thlaspi* (Brassicaceae) be split? Preliminary evidence from isoelectric focusing analysis of Rubisco. **Taxon** 40: 427-434

Mummenhoff K, Hurka H (1990) Evolution of the tetraploid *Capsella bursa-pastoris* (Brassicaceae): isoelectric focusing analysis of Rubisco. **Plant Systematics and Evolution** 172: 205-213

Mummenhoff K, Hurka H (1986) Rubisco as a taxonomic tool: Introducing a simple electrophoretic technique for separating the holoenzyme. **Plant Systematics and Evolution** 153: 281-285